



Western Europe – Flameless Ration Heater

Page 1 – Specification

Page 2 – Test Report

Page 3 – Artwork and sizing.


Specification

- 16g Flameless Ration Heater
- (15g of active material)
Food grade Magnesium Alloy.
- Water activated (to fill line on outer bag).
- Military Green outer Plastic bag.
- Glued heater
- Tape for folding.
- Languages : English, Spanish, French, German, Portugese
- UN2813
- 4.3 Dangerous When Wet
- Packing Group 11.
- 5 Year shelf life on product based on good storage conditions (indoors, dry, out of direct sunlight etc.)



Heater Performance (ΔT °C) for 15g Flameless Ration Heater (ROW) versus a 300 gram water filled pouch.


- ΔT of 68°C (154°F) in 6 minutes
- ΔT of 79°C (174°F) in 15 minutes
- Maximum temperature of 85°C (185°F) from 7°C (45°F) in 15 minutes



Information, data and drawings embodied in this document are strictly confidential and are supplied on the understanding that they will be held confidentially and not disclosed to third parties without the prior written consent of Luxfer Magtech Inc.

Luxfer Magtech 2940 Highland Ave, Unit 210 Cincinnati, OH 45212
1-800-503-4483 www.luxfermagtech.com

NOTE : 20%+ Liquid/Suace/Gravy required in pouch for effective heating.



2940 Highland Ave., Unit 210 Cincinnati, OH 45212, USA